



Declaration of Performance

DoP-CPR- 19-3623 / 2

1. Unique identification code of the product, product type or product family: Collection: EXPEDITION Type: 03 Designs: References: Tasar 72020-72039 Sumatra 72040-72042 Eri 72050-72057																																																						
2. Identification of the product: Type, batch or serial number: See packing label																																																						
3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use																																																						
4. Name and contact address of the manufacturer: Arte NV Industriezone "De Waerde" Senator A. Jeurissenlaan 1210 BE-3520 Zonhoven T +32 (0) 11 81 93 00 F +32 (0) 11 81 93 01 info.belgium@arte-international.com																																																						
5. Name and contact address of authorised representative (distributor, importer): Not applicable																																																						
6. System of assessment and verification of constancy of performance: System 3																																																						
7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s): Certification report Centexbel : 19/720																																																						
8. Declared performance: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Essential Characteristic</th> <th>Performance</th> <th>Harmonised technical specification</th> <th>Essential Characteristic</th> <th>Performance</th> <th>Harmonised technical specification</th> </tr> </thead> <tbody> <tr> <td>Reaction to fire EN 13501-1</td> <td>B-S2,d0</td> <td rowspan="8" style="text-align:center; vertical-align:middle;">EN 15102:2007 A1:2011</td> <td>Release of vinyl chloride monomer EN 12149-B</td> <td>< 0.2 mg/kg</td> <td rowspan="8" style="text-align:center; vertical-align:middle;">EN 15102:2007 A1: 2011</td> </tr> <tr> <td>Release of formaldehyde EN 12149-C</td> <td>< 120 mg / kg</td> <td rowspan="7">Release of heavy metals (EN 12149-A)</td> <td>Sound absorption ISO 354</td> <td>NPD</td> </tr> <tr> <td>Anitimony</td> <td>< 0.1 mg/kg</td> <td>Thermal resistance "EN 12524" or "EN12667"</td> <td>NPD</td> </tr> <tr> <td>Arcenic</td> <td>< 0.1 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Barium</td> <td>< 0.1 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Cadmium</td> <td>< 0.3 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Chromium</td> <td>< 0.1 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Lead</td> <td>< 0.5 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Mercury</td> <td>< 0.1 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Selenium</td> <td>< 1.0 mg/kg</td> <td></td> <td></td> </tr> </tbody> </table>						Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	Reaction to fire EN 13501-1	B-S2,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	Release of formaldehyde EN 12149-C	< 120 mg / kg	Release of heavy metals (EN 12149-A)	Sound absorption ISO 354	NPD	Anitimony	< 0.1 mg/kg	Thermal resistance "EN 12524" or "EN12667"	NPD	Arcenic	< 0.1 mg/kg			Barium	< 0.1 mg/kg			Cadmium	< 0.3 mg/kg			Chromium	< 0.1 mg/kg			Lead	< 0.5 mg/kg			Mercury	< 0.1 mg/kg			Selenium	< 1.0 mg/kg		
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification																																																	
Reaction to fire EN 13501-1	B-S2,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011																																																	
Release of formaldehyde EN 12149-C	< 120 mg / kg		Release of heavy metals (EN 12149-A)	Sound absorption ISO 354		NPD																																																
Anitimony	< 0.1 mg/kg			Thermal resistance "EN 12524" or "EN12667"		NPD																																																
Arcenic	< 0.1 mg/kg																																																					
Barium	< 0.1 mg/kg																																																					
Cadmium	< 0.3 mg/kg																																																					
Chromium	< 0.1 mg/kg																																																					
Lead	< 0.5 mg/kg																																																					
Mercury	< 0.1 mg/kg																																																					
Selenium	< 1.0 mg/kg																																																					
* NPD: No Performance Declared																																																						
Signed for and behalf of the manufacturer or authorised representative by: <div style="text-align: right; margin-top: 20px;"> </div>																																																						
6-Feb-20		Philippe Desart		Managing Director																																																		



Declaration of Performance

DoP-CPR- 19-3623 / 3

1. Unique identification code of the product, product type or product family:

Collection: EXPEDITION **Type:** 06

Designs: Silk Road Garden **References:** 72000-72001

2. Identification of the product:

Type, batch or serial number:
See packing label

3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use

4. Name and contact address of the manufacturer:

Arte NV
Industriezone "De Waerde"
Senator A. Jeurissenlaan 1210
BE-3520 Zonhoven
T +32 (0) 11 81 93 00
F +32 (0) 11 81 93 01
info.belgium@arte-international.com

5. Name and contact address of authorised representative (distributor, importer): Not applicable

6. System of assessment and verification of constancy of performance: System 3

7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):

Certification report Centexbel : 19/722

8. Declared performance:

Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	B-S1,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg					
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Chromium		< 0.1 mg/kg			
	Lead		< 0.5 mg/kg			
	Mercury	< 0.1 mg/kg				
	Selenium	< 1.0 mg/kg				

* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by: