



## Declaration of Performance

DoP-CPR- 18-3559/1

<b>1. Unique identification code of the product, product type or product family:</b>					
<b>Collection:</b> Insolence		<b>Type:</b> 01			
<b>Designs:</b>		<b>Articles:</b>			
Temper, Blast,	Shiver, Nerve,	Vanity, Moxie	34500-34518, 34580-34582,	34540-34544, 34600-34603,	34560-34563, 34620-34623
<b>2. Identification of the product:</b>					
<b>Type, batch or serial number:</b>					
See packing label					
<b>3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use</b>					
<b>4. Name and contact address of the manufacturer:</b>					
Arte NV					
Industriezone "De Waerde"					
Senator A. Jeurissenlaan 1210					
BE-3520 Zonhoven					
T +32 (0) 11 81 93 00					
F +32 (0) 11 81 93 01					
info.belgium@arte-international.com					
<b>5. Name and contact address of authorised representative (distributor, importer):</b>					
Not applicable					
<b>6. System of assessment and verification of constancy of performance:</b>					
System 3					
<b>7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):</b>					
Certification report Centexbel : 19/721					
<b>8. Declared performance:</b>					
<b>Essential Characteristic</b>	<b>Performance</b>	<b>Harmonised technical specification</b>	<b>Essential Characteristic</b>	<b>Performance</b>	<b>Harmonised technical specification</b>
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011
Release of formaldehyde EN 12149-C	< 120 mg / kg				
Release of heavy metals (EN 12149-A)	Anitimony < 0.1 mg/kg		Sound absorption ISO 354	NPD	
	Arcenic < 0.1 mg/kg				
	Barium < 0.1 mg/kg				
	Cadmium < 0.3 mg/kg				
	Chromium < 0.1 mg/kg				
Lead < 0.5 mg/kg	Thermal resistance "EN 12524" or "EN12667"	NPD			
Mercury < 0.1 mg/kg					
Selenium < 1.0 mg/kg					
* NPD: No Performance Declared					
Signed for and behalf of the manufacturer or authorised representative by:					
29-Jan-20		Philippe Desart		Managing Director	



**Declaration of Performance**

DoP-CPR- 18-3559/2

<b>1. Unique identification code of the product, product type or product family:</b>			
<b>Collection:</b>	Insolence	<b>Type:</b>	06
<b>Designs:</b>		<b>References:</b>	
Grow		34640-34642	
Swing		34660-34662	

<b>2. Identification of the product:</b>	
<b>Type, batch or serial number:</b>	
See packing label	

<b>3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use</b>	
---	--

<b>4. Name and contact address of the manufacturer:</b>		Arte NV Industriezone "De Waerde" Senator A. Jeurissenlaan 1210 BE-3520 Zonhoven T +32 (0) 11 81 93 00 F +32 (0) 11 81 93 01 info.belgium@arte-international.com	
---	--	--	--

<b>5. Name and contact address of authorised representative (distributor, importer):</b>	Not applicable
--	----------------

<b>6. System of assessment and verification of constancy of performance:</b>	System 3
--	----------

<b>7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):</b>	
Certification report Centexbel : 19/722	

8. Declared performance:						
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1:2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg					
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Chromium		< 0.1 mg/kg			
	Lead		< 0.5 mg/kg			
	Mercury	< 0.1 mg/kg				
	Selenium	< 1.0 mg/kg				

\* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

29-Jan-20

Philippe Desart

Managing Director