


Declaration of Performance

DoP-CPR- 17-3488

| 1. Unique identification code of the product, product type or product family: Collection: Flamant Les Memoires Type: 01 Designs: Poterie, Japonais, Bambou, L'Histoire, Voyage, Bouton d'or, Céramique, Expédition, L'Aventure, Lin, Lin, Lin References: 80000-80001, 80010-80013, 80020-80023, 80030-80033, 80050-80053, 80060-80063, 80070-80071, 80080-80083, 80090-80093, 30100-30107, 40001-40106, 78000-78028 | | | | | | |
|---|----------------|------------------------------------|---|--|------------------------------------|-----|
| 2. Identification of the product: Type, batch or serial number: See packing label | | | | | | |
| 3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use | | | | | | |
| 4. Name and contact address of the manufacturer: Arte NV Industriezone "De Waerde" Senator A. Jeurissenlaan 1210 BE-3520 Zonhoven T +32 (0) 11 81 93 00 F +32 (0) 11 81 93 01 info.belgium@arte-international.com | | | | | | |
| 5. Name and contact address of authorised representative (distributor, importer): Not applicable | | | | | | |
| 6. System of assessment and verification of constancy of performance: System 3 | | | | | | |
| 7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s): Certification report Centexbel : 19/721 | | | | | | |
| 8. Declared performance: | | | | | | |
| Essential Characteristic | Performance | Harmonised technical specification | Essential Characteristic | Performance | Harmonised technical specification | |
| Reaction to fire EN 13501-1 | B-S1,d0 | EN 15102:2007 A1:2011 | Release of vinyl chloride monomer EN 12149-B | < 0.2 mg/kg | EN 15102:2007 A1: 2011 | |
| Release of formaldehyde EN 12149-C | < 120 mg / kg | | Sound absorption ISO 354 | NPD | | |
| Release of heavy metals (EN 12149-A) | Anitimony | | < 0.1 mg/kg | Thermal resistance "EN 12524" or "EN12667" | | NPD |
| | Arcenic | | < 0.1 mg/kg | | | |
| | Barium | | < 0.1 mg/kg | | | |
| | Cadmium | | < 0.3 mg/kg | | | |
| | Chromium | | < 0.1 mg/kg | | | |
| | Lead | | < 0.5 mg/kg | | | |
| Mercury | < 0.1 mg/kg | | | | | |
| Selenium | < 1.0 mg/kg | | | | | |
| * NPD: No Performance Declared | | | | | | |
| Signed for and behalf of the manufacturer or authorised representative by: | | | | | | |
| | | |  | | | |
| 11-Apr-22 | | Philippe Desart | | Managing Director | | |