



Declaration of Performance

DoP-CPR- 19-3613/1

1.	Unique identification code of the	e product, product ty	pe or product famil	y:					
	Collection: MOOOI TOKY	O BLUE		Туре:	02				
	Designs:			References:					
	Lucky O's			MO3040 - MO3	043				
2.	Identification of the product:								
	Type, batch or serial number:								
	See packing label								
3.	The product(s) are intended for accordance with EN 15102:2007				he manufacturer's specifications	and installation p	oractices in		
4.	4. Name and contact address of the manufacturer:								
				Industriezone "De Waerde"					
				Senator A. Jeurissenlaan 1210					
				BE-3520 Zonhoven					
				T +32 (0) 11 81 93 00					
				F +32 (0) 11 81	93 01				
				info.belgium@a	rte-international.com				
5.	Name and contact address of au	uthorised representa	tive (distributor,imp	orter):	Not applicable				
6.	System of assessment and verif	ication of constancy	of performance:	System 3					
7.	Notified testing laboratory Center	exbel performed the	determination of the	e product type	on the basis of type testing				
	(based on sampling carried out	by the manufacturer) and issued the tes	t report(s):					
	Certification report Centexbel :	19/745							
8.	Declared performance:	_				•			
Essential Characteristic Performance			Harmonised technical specification	Essential Characteristic	Performance	Harmonise technical specification			
Reaction to fire EN 13501-1 B-S1,d0									
Release of formaldehyde EN 12149-C < 120 mg / kg				Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg				
		Anitimony	< 0.1 mg/kg						
Arcenic Barium Cadmium Release of heavy metals (EN 12149-A) Chromium		Arcenic	< 0.1 mg/kg		Sound absorption ISO 354	NPD EN 15102:20 A1: 201			
		Barium	< 0.1 mg/kg	EN 15102:2007					
		Cadmium	< 0.3 mg/kg	A1:2011			A1: 2011		
		Chromium	< 0.1 mg/kg				1		

* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

Lead

Mercury

Selenium



NPD

Thermal resistance "EN 12524" or

"EN12667"

18-Feb-20 Philippe Desart Managing Director

< 0.5 mg/kg

< 0.1 mg/kg

< 1.0 mg/kg



Declaration of Performance

DoP-CPR- 19-3613/2

1.	Unique identifica	ation code of the p	product, product type o	or product famil	y:			
	Collection:	MOOOI TOKYO	BLUE		Туре:	04B		
	Design:				References:			
	Shoji Blossom				MO3030 - MO3	032		
2.	Identification of	the product:						
	Type, batch or s	erial number:						
	See packing labe	ıl						
3.			se as wall covering(s) w A1:2011: Wallcovering			he manufacturer's specifications a	ınd installation ı	oractices in
4.	Name and conta	ct address of the	manufacturer:		Arte NV			
					Industriezone "E	De Waerde"		
					Senator A. Jeur	issenlaan 1210		
					BE-3520 Zonho	ven		
					T +32 (0) 11 81	93 00		
					F +32 (0) 11 81	93 01		
					info.belgium@a	rte-international.com		
5.	Name and conta	ct address of autl	norised representative	(distributor,imp	orter):	Not applicable		
6.	System of asses	ssment and verific	ation of constancy of p	erformance:		System 3		
7.	Notified testing	laboratory Centex	bel performed the dete	rmination of the	e product type	on the basis of type testing		
	(based on samp	ling carried out by	y the manufacturer) and	d issued the tes	t report(s):			
	Certification rep	ort Centexbel :	20/1156					
3.	Declared perfor	mance:						
Essen	tial Characteristic		Performance		Harmonised technical specification	Essential Characteristic	Performance	Harmonise technical specification
Reaction	on to fire EN 1350	1-1	E					
						Release of vinyl chloride monomer	I	I

Essei	ntial Characteristic	Performance
Essei	ntial Characteristic	Performanc

Essential Characteristic	Performance		technical specification	Essential Characteristic	Performance	technical specification
Reaction to fire EN 13501-1	E					
Release of formaldehyde EN 12149-C		< 120 mg / kg		Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	
	Anitimony	< 0.1 mg/kg				EN 15102:2007
	Arcenic	< 0.1 mg/kg	EN 15102:2007 A1:2011	Sound absorption ISO 354	NPD	
	Barium	< 0.1 mg/kg				
Release of heavy metals (EN 12149-A)	Cadmium	< 0.3 mg/kg				A1: 2011
Release of fleavy filetals (LIV 12145-A)	Chromium	< 0.1 mg/kg		Thermal resistance "EN 12524" or "EN12667"	NPD	
	Lead	< 0.5 mg/kg				
	Mercury	< 0.1 mg/kg				
	Selenium	< 1.0 mg/kg				

* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

18-May-20 **Philippe Desart Managing Director**



ϵ

Declaration of Performance

DoP-CPR- 19-3613/3

1.	Unique identification code	of the product, p	product type or prod	uct family:
----	----------------------------	-------------------	----------------------	-------------

Collection: MOOOI TOKYO BLUE Type: 06

Designs: References:

 Rendezvous Tokyo Blue
 MO3010 - MO3012

 Tie-Tami
 MO3020 - MO3022

2. Identification of the product:

Type, batch or serial number:

See packing label

3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use

4. Name and contact address of the manufacturer: Arte NV

Industriezone "De Waerde"

Senator A. Jeurissenlaan 1210

BE-3520 Zonhoven T +32 (0) 11 81 93 00 F +32 (0) 11 81 93 01

info.belgium@arte-international.com

5. Name and contact address of authorised representative (distributor,importer): Not applicable

6. System of assessment and verification of constancy of performance: System 3

7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing

(based on sampling carried out by the manufacturer) and issued the test report(s):

Certification report Centexbel: 19/722

8. Declared performance:

Essential Characteristic	Performance		Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification
Reaction to fire EN 13501-1	B-S1,d0	i-S1,d0				
Release of formaldehyde EN 12149-C		< 120 mg / kg		Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011
	Anitimony	< 0.1 mg/kg				
	Arcenic	< 0.1 mg/kg		Sound absorption ISO 354	NPD	
	Barium	< 0.1 mg/kg	EN 15102:2007			
Release of heavy metals (EN 12149-A)	Cadmium	< 0.3 mg/kg				
Release of fleavy ffletals (EN 12149-A)	Chromium	< 0.1 mg/kg		Thermal resistance "EN 12524" or "EN12667"	NPD	
	Lead	< 0.5 mg/kg				
	Mercury	< 0.1 mg/kg				
	Selenium	< 1.0 mg/kg				

^{*} NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:



18-Feb-20 Philippe Desart Managing Director



ϵ

Declaration of Performance

DoP-CPR- 19-3613/4

1.	Unique identification code of the product, product type or product family:						
	Collection:	MOOOI TOKYO BLUE	Type:	06D			
	Designs:		References:				

Indigo Macaque MO3000 - MO3001

2. Identification of the product:

Type, batch or serial number:

See packing label

3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use

4. Name and contact address of the manufacturer: Arte NV

Industriezone "De Waerde"
Senator A. Jeurissenlaan 1210

BE-3520 Zonhoven T +32 (0) 11 81 93 00 F +32 (0) 11 81 93 01

in fo. belgium@arte-international.com

System 3

5. Name and contact address of authorised representative (distributor,importer): Not applicable

6. System of assessment and verification of constancy of performance:

7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):

Certification report Centexbel : 20/1155

8. Declared performance:

Essential Characteristic	Performance		Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification
Reaction to fire EN 13501-1	C-S1,d0			Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011
Release of formaldehyde EN 12149-C		< 120 mg / kg	EN 15102:2007 A1:2011			
	Anitimony	< 0.1 mg/kg				
	Arcenic	< 0.1 mg/kg		Sound absorption ISO 354	NPD	
	Barium	< 0.1 mg/kg				
Release of heavy metals (EN 12149-A)	Cadmium	< 0.3 mg/kg				
Release of fleavy filetals (EN 12149-A)	Chromium	< 0.1 mg/kg		Thermal resistance "EN 12524" or "EN12667"	NPD	
	Lead	< 0.5 mg/kg				
	Mercury	< 0.1 mg/kg				
	Selenium	< 1.0 mg/kg				

* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

19-May-20 Philippe Desart Managing Director